

Index

CPU, 8
Disk, 9
FrameTableEntry, 75
HClock, 9
HTimer, 9
MMU, 75
Message, 144
MyOut, 32
OpenFile, 49, 52
PageFaultHandler, 75
PageTable, 75, 101
PageTableEntry, 75
ThreadCB, 61
TimerInterruptHandler, 71

acquiring resource, 155
addFile(), 53, 134
– in TaskCB, 52
addPort(), 52
addThread(), 52
– in Event, 17
– in TaskCB, 70
append()
– in GenericList, 14
appendMessage(), 146, 148, 150
appendToCurrent()
– in GenericList, 14
atError(), 32
atWarning(), 32
average normalized service time, 30
average service time, 30
average turnaround time, 30

backwardIterator()
– in GenericList, 15
Banker's algorithm, 154
blockCount, 129

cancelPendingIO(), 70
circular wait, 153
CLASSPATH environment variable, 21
clock policy, 79
close(), 50, 141
closePending, 131, 136
closing a file, 122
command line options
– in *OSP 2*, 23
condition check, 31
contains()
– in Event, 17
– in GenericList, 15
context switching, 65
CPU scheduling algorithm, 60
create()
– in Daemon, 18, 99
– in FileSys, 50, 141
– in ThreadCB, 50, 72
creation
– of threads, 62
current task, 46
current thread, 46

Daemon, 18, 83
deadlock, 153
deadlock avoidance, 153, 154
deadlock detection, 153, 154

- deadlock prevention, 154
- Deadlocked
 - as status of RRB, 158
- deallocateMemory()
 - in **PageTable**, 50
- debugging, 31
- decrementIORBCount(), 134
- decrementLinkCount(), 129
- decrementLockCount(), 86, 88
- decrementOpenCount(), 129, 135
- delete()
 - in **FileSys**, 50, 141
- deleting a file, 122
- Demo.jar, 19
- Denied
 - as status of RRB, 158
- destroy(), 50
- destruction
 - of threads, 62
- device queue, 103
- directory, 122
- directory entry, 122, 129
- DirEntry, 129
- DirSeparator, 119, 121
- dirty bit, 81
- dirty frame, 81
- Disk1, 12
- Disk2, 12
- Disk3, 12
- Disk4, 12
- DiskInterrupt, 12
- dispatch(), 72, 99
- dispatching, 65
 - of threads, 62, 63
- do-, 26
- do_acquire(), 161
- do_addFile
 - in **TaskCB**, 46
- do_addPort
 - in **TaskCB**, 46
- do_addThread()
 - in **TaskCB**, 46
- do_create()
 - in **PortCB**, 146
 - in **TaskCB**, 46
 - in **ThreadCB**, 67
- do_deadlockDetection(), 162
- do_destroy(), 147
- do_dispatch(), 69
- do_getPortCount(), 46
- do_getThreadCount(), 46
- do_giveupResources(), 163, 166
- do_grant(), 158
- do_handleInterrupt()
 - in **DiskInterruptHandler**, 114
 - in **TimerInterruptHandler**, 72
- do_kill()
 - in **TaskCB**, 46
 - in **ThreadCB**, 67
- do_receive(), 148
- do_release(), 162
- do_removeFile
 - in **TaskCB**, 46
- do_removePort
 - in **TaskCB**, 46
- do_removeThread()
 - in **TaskCB**, 46
- do_resume(), 68
- do_send(), 147
- do_suspend(), 68
- environment variable
 - **CLASSPATH**, 21
 - **PATH**, 20
- error, 31
- error handling, 31
- event, 16, 66
- Event class, 16
- event engine, 7
- event ID, 16
- FAILURE, 12
- file allocation table, 128
- file name, 122
- FileEntry, 129
- FileRead, 12
- FileWrite, 12
- forwardIterator()
 - in **GenericList**, 15
- frame
 - dirty, 81
 - free, 97
 - modified, 81
 - referenced, 81
 - reserved, 82
- frame table, 81
- GenericQueueInterface, 16
- get()
 - in **Device**, 69, 114, 127
 - in **HCLock**, 9, 50, 71
 - in **HTimer**, 9, 71, 72
- getAllocated(), 159, 164
- getAvailable(), 159, 164
- getBlockCount(), 128, 129
- getBlockNumber(), 108
- getBytesPerSector(), 9, 113

- getCreationTime()
 - in `TaskCB`, 52, 53
 - in `ThreadCB`, 71
- getCurrentThread(), 53, 70
 - in `TaskCB`, 52
- getCylinder()
 - in `IORB`, 108
- getDeadlockMethod(), 161, 164
- getDevice()
 - in `IORB`, 69
- getDeviceID(), 126, 128, 129
 - in `IORB`, 69, 89, 108
- getEvent()
 - in `InterruptVector`, 11
- getFrame()
 - in class `MMU`, 94
- getFrameTableSize(), 94
- getHead()
 - in `Event`, 17
 - in `GenericList`, 15
- getHeadPosition(), 9, 113
- getID()
 - in `Device`, 114
 - in `IORB`, 108
 - in `PageTableEntry`, 101
 - in `RRB`, 159
 - in `TaskCB`, 52, 53
 - in `ThreadCB`, 71
- getId()
 - in `ResourceCB`, 163
 - in class `Message`, 145
- getINode(), 134
 - in `DirectoryEntry`, 130
- getINodeOf()
 - in `DirectoryEntry`, 130
- getInterruptType(), 10
- getIORBCount(), 134
- getIOType(), 89, 108
- getLength()
 - in class `Message`, 145
- getLinkCount(), 129
- getLockCount(), 85, 88
- getMaxClaim(), 164
- getMountPoint(), 125, 126, 128
- getNumberOfBlocks(), 128
- getOpenCount(), 129, 135
- getOpenFile(), 108
- getPage()
 - in `InterruptVector`, 10
 - in `IORB`, 108
- getPageAddressBits(), 100
- getPageTable(), 52, 53, 70
- getPathname()
 - in `DirectoryEntry`, 130
- getPlatters(), 9, 113
- getPortCount(), 52
- getPortID()
 - in `PortCB` class, 150
- getPriority()
 - in `TaskCB`, 70
 - in `ThreadCB`, 71, 73
- getPTBR(), 65, 70, 100
- getQuantity()
 - in `RRB`, 159
- getReferenceType()
 - in `InterruptVector`, 11
- getReserved(), 101
- getResource()
 - in `RRB`, 159
- getResourceCB(), 156, 164
- getRevsPerTick(), 9, 113
- getSectorsPerTrack(), 9, 113
- getSeekTimePerCylinder(), 113
- getSeekTimePerTrack(), 9
- getSize(), 156
- getStatus()
 - in `PortCB`, 150
 - in `RRB`, 159
 - in `TaskCB`, 52, 53, 71, 89
 - in `ThreadCB`, 71, 73, 89
- getSwapFile(), 52, 53, 98
- getTableSize(), 114, 125, 128
 - in `Device`, 69, 127
- getTail()
 - in `GenericList`, 15
- getTask(), 134
 - in `PageTable`, 70, 102
 - in `PageTableEntry`, 101
 - in `PortCB`, 150
 - in `ThreadCB`, 71, 73
- getThread()
 - in `InterruptVector`, 10
 - in `IORB`, 89, 108
 - in `RRB`, 159
- getThreadCount(), 52, 70
- getThreadList()
 - in `Event`, 17
- getTimeOnCPU()
 - in `ThreadCB`, 71, 73
- getTotal()
 - in `ResourceCB`, 163
- getTracksPerPlatter(), 9, 113
- getType()
 - in `DirectoryEntry`, 130
- getValidatingThread(), 89, 94, 99, 101
- getVirtualAddressBits(), 100

- in MMU, 50
- giveupResources(), 71
- GNU make, 21
- Granted
 - as status of RRB, 158
- handlePageFault, 99
- hard link, 120
- hard link count, 122
- hardLinkCount, 129
- hold and wait, 153
- I/O request block, 16
- IFL, 7, 26
- incrementIORBCount(), 134
- incrementLinkCount(), 129
- incrementLockCount(), 85, 88
- incrementOpenCount(), 129, 135
- init
 - in TaskCB, 46
- init()
 - in ThreadCB, 66
- inode, 122
- insert()
 - in GenericList, 14
- interface layer, 7, 26
- interrupt, 8
- interrupt vector, 10
- InterruptVector, 10
- io-overview, 103
- IORB, 16, 80, 106
 - enqueueing of, 81
- IORB() constructor, 135
- iorbQueue, 113
- isBusy(), 114
- isDirty(), 98, 101
- isEmpty()
 - in PortCB, 146, 150
 - in GenericList, 14
- isMountPoint(), 134
- isReferenced(), 98, 101
- isReserved(), 89, 98
- isValid(), 89, 100
- kill()
 - in TaskCB, 70
 - in ThreadCB, 50, 73
- length()
 - in GenericList, 14
- link count, 120
- links, 120
- locking
 - of a page, 80
- logical device, 78
- make, 21
- Makefile, 19
- master file table, 128
- MaxPortsPerTask, 50, 147
- MaxThreadsPerTask, 50
- memory management unit, 11, 75
- MemoryLock, 12, 92, 94, 95
- MemoryRead, 12, 92, 94, 95
- MemoryWrite, 12, 92, 94, 95
- message, 144
- message buffer
 - of a port, 144
- Misc directory, 19
- MMU, 11, 75
- Mount table, 123
- mount table, 120
- mountable file systems, 120
- mountpoint, 123
- mutual exclusion, 153
- no preemption, 153
- normalized pathname, 136
- notifyThreads(), 17, 99, 134, 165
- obfuscation, 28
- open count, 122
- open file handle, 122
- open files table, 49
- open(), 50, 141
- openCount, 129
- opening a file, 122
- OSP.jar, 19
- ospDeviceQueue(), 114
- page replacement, 79
- page table, 75
 - inverted, 86
- page table base register, 65, 75
- PageFault, 12
- pagefault, 77
- pagefault handler, 77
- params.osp, 19
- PATH environment variable, 20
- pathname, 119, 121
- pathname dereferencing, 119
- plain file, 122
- port, 143
 - as an event, 144
- PortBufferLength, 144
- PortDestroyed, 11
- PortLive, 11

- preempting, 65
- prepaging, 82
- prependAtCurrent()
 - in **GenericList**, 14
- printableDevice(), 12
- printableInterrupt(), 12
- printableRequest(), 12
- printableRetCode(), 12
- printableStatus(), 11
- proactive page cleaning, 83
- process, 45
- PTBR, 65, 75

- read(), 97, 98, 141
- ready queue, 64
- real time, 61
- reference bit, 81
- remove()
 - in **GenericList**, 14
- removeFile(), 53, 134
 - in **TaskCB**, 52
- removeHead()
 - in **GenericList**, 15
- removeMessage(), 146, 149, 150
- removePort(), 52
- removeTail()
 - in **GenericList**, 15
- removeThread(), 52
 - in **Event**, 17
 - in **TaskCB**, 70
- reserved bit, 82
- resource, 155
- resource control block, 155
- resource instance, 155
- resource request block, 155, 157
- resource table, 155
- resource type, 155
- ResourceCB(), 160
- resume(), 73
- resumption
 - of threads, 62
- RRB, 157
- RRB status
 - Deadlocked, 158
 - Denied, 158
 - Granted, 158
 - Suspended, 158

- scheduling
 - of threads, 63
- set()
 - in **HTimer**, 9, 72
- setAllocated(), 159, 164
- setBlockCount(), 128, 129
- setBusy(), 114
- setCreationTime()
 - in **TaskCB**, 52, 53
 - in **ThreadCB**, 71, 73
- setCurrentThread(), 65, 70
 - in **TaskCB**, 52
- setCylinder(), 108
- setDirty(), 101
- setEvent()
 - in **InterruptVector**, 11
- setFrame(), 101
 - in class **MMU**, 94
- setINode(), 134
- setInterruptType(), 10
- setPage()
 - in **InterruptVector**, 10
- setPageTable(), 52, 53
- setPriority()
 - in **TaskCB**, 52, 70
 - in **ThreadCB**, 71, 73
- setPTBR(), 65, 70, 100
- setReferenced(), 101
- setReferenceType()
 - in **InterruptVector**, 10
- setReserved(), 101
- setStatus()
 - in **PortCB**, 150
 - in **RRB**, 159
 - in **TaskCB**, 52, 53
 - in **ThreadCB**, 71, 73
- setSwapFile(), 52, 53
- setTask(), 73
 - in **PortCB**, 150
 - in **ThreadCB**, 71
- setThread()
 - in **InterruptVector**, 10
- setUnreserved(), 101
- setValid(), 100
- setValidatingThread(), 94, 99, 101
- showDirectory(), 140
- snapshot, 30, 31, 33
- stack trace, 33
- startIO(), 114
- starvation, 60
- student project, 6
- SUCCESS, 12
- suspend(), 72, 134
- Suspended
 - as status of **RRB**, 158
- suspension
 - of threads, 62
- swap device, 78
- swap file, 78

- swap-in, 78, 97
- swap-out, 81, 97
- SwapDeviceID, 12, 78
- SwapDeviceMountPoint, 50
- symbolic link, 120
- system log, 13, 30, 31
- SystemEvent class, 78, 96, 99
- SystemEvent() constructor, 78, 96, 99, 135
- task, 45
- TaskCB() constructor, 46
- TaskLive, 11, 47, 53
- TaskTerm, 11, 48, 53
- thread, 45
- thread control block, 61
- ThreadCB() constructor, 67
- ThreadKill, 11, 63
- ThreadReady, 11, 63
- ThreadRunning, 11, 63
- ThreadWaiting, 11, 64
- time quantum, 60
- time slice, 60
- TimerInterrupt, 12
- unlocking
 - of a page, 80
- use bits, 79
- userOption, 13
- validity bit, 77
- victim page, 79
- waiting queue
 - of event, 16
- warning, 31
- wgui.rdl, 19
- wrapper, 26
- write(), 97, 99, 141